EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S45	199	number near (time$1slot slot "time slot") with uplink with downlink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 14:42
S46	204	(count$3 number) near (time $1slot slot "time slot") with uplink with downlink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 14:43
S47	97	(count$3 number) near (time $1slot slot "time slot") with uplink with downlink AND synchronization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 14:43
S48	2	(count$3 number) near (time $1slot slot "time slot") with uplink with downlink AND synchronization AND vari$5 near delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 17:11
S49	2	(count$3 number) near (time $1slot slot "time slot") with uplink with downlink AND synchronization AND (variable varying) near delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 17:12
S50	21604	(variable varying) near delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 17:32
S51	2341	(variable varying) near delay AND (timeslot slot "time slot")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 17:33
S52	2	(variable varying) near delay AND (timeslot slot "time slot") AND syncrhonization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 17:33
S53	4	count$3 near (time$1slot slot "time slot") with uplink with downlink AND synchronization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 17:34
S54	4	count$3 near2 (time$1slot slot "time slot") with uplink with downlink AND synchronization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 17:34

S55	10	("5666358" | "5793772" | "5943604" | "6032181" | "6091440" | "6526070" | "6553040" | "6556591" | "6698022" | "6889051").PN. OR ("7039071").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/20 18:53
S56	4	count$3 near2 (time$1slot slot "time slots") with uplink with downlink AND synchronization	US-PGPUB; USPAT; USOCR EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 18:59
S57	75	(count$3 number) near (time $1slot slot "time slot") with uplink with downlink AND synchronization AND switch$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 19:21
S58	1	(count$3 number) near (time $1slot slot "time slot") with uplink with downlink with switch $3 AND synchronization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 19:22
S59	4	(count$3 number) near (time $1slot slot "time slot") same uplink with downlink with switch $3 AND synchronization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 19:23
S60	529	(count$3 number) near (time $1slot slot "time slot") AND uplink AND downlink AND switch $3 AND synchronization AND delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 19:26
S61	7	(count$3 number) near (time $1slot slot "time slot") same uplink AND downlink same switch $3 same synchronization same delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 19:26
S62	2	(count$3 number) near (time $1slot slot "time slot") same uplink same downlink same switch$3 same synchronization same delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 19:26
S63	149	(count$3 number) with (time $1slot slot "time slot") with uplink with downlink AND synchronization AND delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 19:32
S64	5	(count$3 determin$3) near2 number near2 (time$1slot slot "time slot") with uplink with downlink AND synchronization AND delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 19:37

S65	489	(count$3 determin$3) near2 number near2 (time$1slot slot "time slot") AND synchronization AND delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 19:38
S66	0	(count$3 determin$3) near2 number near2 (time$1slot slot "time slot") with ul with dl AND synchronization AND delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 19:39
S67	5	(count$3 determin$3) near2 number near2 (time$1slot slot "time slot") with (up$1link up $1stream) with (down$1link down$1stream) AND synchronization AND delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/20 19:39
S68	17916	(count$3 detect$3 determin$3) with (number amount) with (time $1slot slot "time slot")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 09:04
S69	3758	(count$3 detect$3 determin$3) with (number amount) with (time $1slot slot "time slot") AND synchronization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 09:48
S70	568	(count$3 detect$3 determin$3) with (number amount) with (time $1slot slot "time slot") same synchronization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 09:49
S71	77	(count$3 detect$3 determin$3) with (number amount) with (time $1slot slot "time slot") same synchronization same switch$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 09:55
S72	63	(count$3 detect$3 determin$3) with (number amount) with (time $1slot slot "time slot") same synchronization same switch$3 AND communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:11
S74	3	(count$3 detect$3 determin$3) with (number amount) with (time $1slot slot "time slot") same synchronization same switch$3 same uplink same downlink AND communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:18
S75	1393	switch$3 with uplink with downlink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 10:53

S77	8	switch$3 with uplink with downlink with number with ("time slot" "time slots" (time adj slot))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 11:59
S78	24	switching adj point with uplink with downlink and number with ("time slot" "time slots" (time adj slot))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/24 12:31
S79	616	370/323,324.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 16:41
S80	133	370/323,324.ccls. AND (number amount) with (slot time$1slot (time adj slot))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 16:42
S81	5	370/323,324.ccls. AND switch$3 adj point	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 18:10
S82	90	370/323,324.ccls. AND (number amount) with (slot time$1slot (time adj slot)) AND delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 09:07
S83	705	uplink with downlink with synchronization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 17:13
S84	431	uplink with downlink with synchronization AND delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 17:13
S85	83	uplink with downlink with synchronization AND delay AND timeslot	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 17:13
S86	10	uplink with downlink with synchronization AND delay AND timeslot AND switch$3 near point	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 17:13
S87	3	("5742589" | "6006112" | "6496572").PN. OR ("7352736"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 18:14
S88	2	09/989233.app.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/01 18:16

S89	46	370/323,324.ccls. AND process $3 near time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 18:38
S90	0	370/323,324.ccls. AND process $3 near time AND syncrhonization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 18:39
S91	3	process$3 near time AND syncrhonization AND uplink same downlink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 18:39
S92	124	dwpts	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 18:55
S93	15626	recogniz$4 with construction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 19:02
S94	21	recogniz$4 with construction AND uplink AND downlink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 19:03
S95	3	recogniz$4 with construction with uplink with downlink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 19:03
S96	4	recogniz$4 with construction with ((time adj slot) time$1slot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 19:04
S97	43	construction with uplink with downlink	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 19:05
S98	19	construction with uplink with downlink AND synchronization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 19:06
S99	4	construction with uplink with downlink AND switch$3 near point	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 19:06

S100	1129	370/350,280,294,348.ccls. AND (tdd tdma)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 10:46
S101	811	370/350,280,294,348.ccls. AND (tdd tdma) AND synchroniz$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 10:46
S102	811	370/350,280,294,348.ccls. AND (tdd tdma) AND synchroniz$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 10:50
S103	16	((up$1link up$1stream) with (down$1link down$1stream) with synchronization with delay). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 11:18
S104	1258	455/78.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:10
S105	0	455/78.ccls. AND uplink with downlink with synchronization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:11
S106	64	455/78.ccls. AND synchronization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 09:12
S107	17	("4637073" | "5193218" | "5442812" | "5477532" | "5515364" | "5521561" | "5544224" | "5754141" | "5768690" | "5784687" | "5789995").PN. OR ("6026280"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/03 10:10
S108	181	455/78.ccls. AND (time near division)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 10:11
S109	37	455/78.ccls. AND (time near division) AND delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 10:11

S110	12	455/78.ccls. AND (time near division) AND delay AND ((time adj slot) time$1slot)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 10:23
S111	84	(455/78 370/323,323,280,350). ccls. AND process$3 near delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 11:12
S112	36	(455/78 370/323,323,280,350). ccls. AND process$3 near delay AND variable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 11:12
S113	2	(455/78 370/323,323,280,350). ccls. AND process$3 near delay with variable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 11:12
S114	8	actual near signal near process $3 near time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 16:28
S115	3171	actual with signal with process$3 with (time delay) not S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 16:32
S116	52	actual with signal near process $3 near (time delay) not S114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 16:33
S117	286	(455/78 370/323,323,280,350). ccls. AND process$3 near (time delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 17:53
S118	20	(455/78 370/323,323,280,350). ccls. AND signal near process$3 near (time delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 17:54

4/3/2008 6:04:17 PM
C:\ Documents and Settings\ dlai\ My Documents\ EAST\ Workspaces\ 10826497.wsp